



An Exelon Company

Richard G. Webster, Jr.
Vice President
Regulatory Policy and Strategy

Telephone 215.841.4000 ext 5777
Fax 215.841.6208
www.peco.com
dick.webster@peco-energy.com

PECO
2301 Market Street, S15
Philadelphia, PA 19103

April 30, 2013

RECEIVED

APR 30 2013

Via Federal Express

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
P. O. Box 3265
Harrisburg, Pennsylvania 17120

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

**Re: PUC Docket No. L-00030161
Rulemaking Re Amending Electric Service Reliability Regulations at
52 Pa. Code Chapter 57**

Dear Secretary Chiavetta:

In accordance with Electric Service Reliability Regulations at 52 Pa. Code Chapter 57, enclosed is PECO's 2013 Quarterly Reliability Report for the period ending March 31, 2013.

Because portions of the report contain sensitive and proprietary information, PECO is filing two versions of the report, one public and one proprietary. PECO requests that the proprietary report, which has been separated and clearly marked with a "Confidential and Proprietary" header on each page, be kept confidential, pursuant to Commission Order of March 20, 2006.


If you have any further questions regarding this matter, please call me at 215-841-5777.

Sincerely,

cc: Office of Consumer Advocate
Office of Small Business Advocate

enclosures

**PECO Energy Company
Quarterly Reliability Report
For Period Ending March 31, 2013**



May 1, 2013

RECEIVED

APR 30 2013

**PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU**

PECO Energy ("PECO")

Quarterly Reliability Report for the Period Ending March 31, 2013 filed with the Pennsylvania Public Utility Commission.

Submitted per Rulemaking Re: Amending Electric Service, Docket No. L-00030161 Reliability Regulations at 52 Pa.Code Chapter 57

Section 57.195(e)(1) "A description of each major event that occurred during the preceding quarter, including the time and duration of the event, the number of customers affected, the cause of the event and any modified procedures adopted in order to avoid or minimize the impact of similar events in the future."

No Major events occurred during the 1st quarter.

Section 57.195(e)(2) "Rolling 12-month reliability index values (SAIFI, CAIDI, SAIDI, and if available, MAIFI) for the EDC's service territory for the preceding quarter. The report shall include the data used in calculating the indices, namely the average number of customers served, the number of sustained customer interruptions, the number of customers affected, and the customer minutes of interruption. If MAIFI values are provided, the report shall also include the number of customer momentary interruptions."

PECO Customers	Sustained Customer Interruptions	Sustained Customer Hours	Momentary Customer Interruptions	Sustained Customer Minutes	SAIFI	CAIDI	SAIDI	MAIFI
1,697,289	1,307,411	2,126,255	830,789	127,575,308	0.77	98	75	0.49

*Data reflects 12 months ending 03/31/2013. SAIFI and SAIDI remain at the best performance levels reported to the Commission since quarterly reports began in December 2003

PECO Benchmarks and Rolling 12-Month Standards				
	SAIFI	CAIDI	SAIDI	MAIFI
Benchmark	1.23	112	138	N/A
Rolling 12-Month Standard	1.48	134	198	N/A

SAIFI, CAIDI and SAIDI are below their respective benchmarks and standards established on May 7, 2004. No benchmark or standard was established for MAIFI.

Section 57.195(e)(3) "Rolling 12-month reliability index values (SAIFI, CAIDI, SAIDI, and if available, MAIFI) and other pertinent information such as customers served, number of interruptions, customer minutes interrupted, number of lockouts, and so forth, for the worst performing 5% of the circuits in the system. An explanation of how the EDC defines its worst performing circuits shall be included."

PECO's worst performing 5% circuits for 2013 were selected based on a weighted score combining customer interruptions, customer hours, SAIFI and SAIDI, due to outages on each circuit in a 12 month period. This measure is oriented toward contributions to system SAIFI, SAIDI and CAIDI, and local areas with high outage frequency or duration. In addition, circuits with a history of repeat appearance on worst performing lists were selectively included in the 5% list.

Worst circuits and the rolling 12-month reliability index values requested are shown in Appendix A.

Section 57.195(e)(4) "Specific remedial efforts taken and planned for the worst performing 5% of the circuits as identified in paragraph (3)."

Remedial efforts taken or planned to date for PECO's worst performing 5% of circuits are shown in Appendix B.

Section 57.195(e)(5) *"A Rolling 12-month breakdown and analysis of outage causes during the preceding quarter, including the number and percentage of service outages, the number of customers interrupted, and customer interruption minutes categorized by outage cause such as equipment failure, animal contact, tree related, and so forth. Proposed solutions to identified service problems shall be included."*

12 Months Ending March 31, 2013					
Cause	Service Outages	% of Service Outages	Customer Interruptions	% of Customer Interruptions	Customer Minutes
Animal	927	8.4%	33,261	2.5%	2,155,444
Contact/Dig-In	123	1.1%	12,970	1.0%	1,497,859
Equipment Failure	4,134	37.4%	505,186	38.6%	46,437,254
Lightning	742	6.7%	108,056	8.3%	14,497,923
Other	1,162	10.5%	115,586	8.8%	6,969,439
T&S	15	0.1%	32,883	2.5%	1,190,030
Unknown	483	4.4%	50,784	3.9%	4,031,171
Vegetation-Broken/Uprooted	2,420	21.9%	358,954	27.4%	41,451,478
Vegetation-Ingrowth	707	6.4%	28,317	2.2%	3,666,731
Vehicles	352	3.2%	61,989	4.7%	5,724,239

*The data supplied is the number of interrupted customers for each interruption event summed for all events, also known as customer interruptions. A customer interrupted by three separate trouble cases represents three customer interruptions, but only one customer interrupted.

The largest contributors to customer interruptions were equipment failure and tree-related interruptions. The leading groups within the equipment failure category were aerial equipment and underground equipment. Most customer interruptions caused by trees came from broken branches and tree trunks or uprooted trees (27.4% of all outages), as opposed to ingrowth (2.2%) of all outages). PECO has continued to supplement its regularly scheduled vegetation management cycle with mid-cycle and 34 kV pruning programs and a hazard tree removal program.

Section 57.195(e)(6). *“Quarterly and year to date information on progress toward meeting transmission and distribution inspection and maintenance goals /objectives” (For First, Second and Third Quarter reports only).”*

Predictive and Preventive Maintenance Program – status as of 3/31/2013					
	1 st Quarter Tasks		YTD Tasks		2013 Total Planned
	Planned	Complete	Planned	Complete	
Recloser Inspections (Number of reclosers inspected)	42	111	42	111	168
Circuit Patrol & Thermography (Number of circuits patrolled)	600	761	600	761	941
Pole Inspections (Number of poles visually inspected)	19,404	21,163	19,404	21,163	32,340
Padmount Transformers (Number of transformers visually inspected)	1,500	2,666	1,500	2,666	8,264
Below Ground Transformers (Number of transformers visually inspected)	330	1,698	330	1,698	1,807
Substations (Number of substations inspections performed.(e.g. visual inspection, reading of currents, voltages, temperature etc) for a variety of substation components)	332	339	332	339	1,330
Unit Substations (Number of unit substations inspections performed .(e.g. visual inspection, reading of currents, voltages, temperature etc) for a variety of substation components)	773	785	773	785	3,080

Vegetation Management Preventive Maintenance Program – status as of 3/31/13					
	1 st Quarter Miles		YTD Miles		2013 Total Planned
	Planned	Complete	Planned	Complete	
Distribution Lift and Manual Trimming	657	657	657	657	2,521
Transmission Trimming and Removals	51	49	51	49	197

Section 57.195(e)(7). *“Quarterly and year-to-date information on budgeted versus actual transmission and distribution operation and maintenance expenditures in total and detailed by the EDC’S own functional account code or FERC account code as available.” (For first, second and third quarter reports only.)*

\$Millions	Budgeted 1 st Quarter	Actual 1 st Quarter	Budgeted Year-to-Date	Actual Year-to-Date
New Business Connections	\$0.5	\$0.3	\$0.5	\$0.3
Capacity Expansion	\$0.3	\$0.3	\$0.3	\$0.3
System Performance	\$10.6	\$8.2	\$10.6	\$8.2
Facility Relocation	\$0.2	\$0.0	\$0.2	\$0.0
Maintenance	\$42.7	\$43.3	\$42.7	\$43.3
Total	\$54.3	\$52.1	\$54.3	\$52.1

Section 57.195(e)(8). *“Quarterly and year-to-date information on budgeted versus actual transmission and distribution capital expenditures in total and detailed by the EDC’S own functional account code or FERC account code as available.” (For first, second and third quarter reports only.)*

\$Millions	Budgeted 1 st Quarter	Actual 1 st Quarter	Budgeted Year-to-Date	Actual Year-to-Date
New Business Connections	\$9.5	\$8.2	\$9.5	\$8.2
Capacity Expansion	\$13.2	\$11.4	\$13.2	\$11.4
System Performance	\$14.7	\$13.4	\$14.7	\$13.4
Facility Relocation	\$1.0	\$1.8	\$1.0	\$1.8
Maintenance	\$17.8	\$20.8	\$17.8	\$20.8
Total	\$56.2	\$55.6	\$56.2	\$55.6

Section 57.195(e)(9). *“Dedicated staffing levels for transmission and distribution operation and maintenance at the end of the quarter, in total and by specific category (e.g., lineman, technician and electrician).”*

PECO’s full-time trade staff as of March 31st 2013 was as follows:

Aerial Lineman	380
Underground Lineman (Include UTS)	52
Transmission / Substation Mechanics, Operators	99
Energy Technicians	103
Aerial Foreman	62
Underground Foreman (Includes UTS)	18
Transmission / Substation Foreman	28
ET Foreman	5
Total	747

Contact Persons:

J. Coffman
 Director, Engineering
 (215) 841-4201
jearl.coffman@peco-energy.com

Richard G. Webster, Jr.
 Vice President, Regulatory Policy & Strategy
 (215) 841-5777
dick.webster@peco-energy.com

Appendix A
Rolling 12- month reliability index values for 5% worst performing circuits

CIRCUIT	CUSTOMERS ON CIRCUIT	12 Month Rolling Circuit SAIFI	12 Month Rolling Circuit CAIDI	12 Month Rolling Circuit SAIDI	12 Month Rolling Circuit MAIFI	12 Month Rolling Customers Interrupted	12 Month Rolling Customer Hours	12 Month Rolling Momentary Customers Interrupted
ABINGTON 006	242	2.75	65	179	1.89	666	723	457
AUDUBON 006	154	4.88	61	299	2.00	751	767	308
BELLEVUE 133	1,403	2.33	81	188	1.39	3,267	4,388	1954
BETHAYRES 002	500	3.21	42	135	0.00	1,604	1,129	0
BOOTH 003	1,213	3.89	73	286	0.00	4,723	5,784	0
BRADFORD 343	547	3.18	53	170	1.33	1,741	1,546	725
BRYN MAWR 132	1,103	2.19	81	177	0.00	2,417	3,260	0
BRYN MAWR 134	448	3.69	62	227	0.94	1,651	1,699	422
BRYN MAWR 143	224	2.65	114	303	0.00	594	1,133	0
BUCKINGHAM 343	1,909	2.76	54	150	2.22	5,278	4,785	4247
BUCKINGHAM 346	2,577	2.42	63	152	2.68	6,230	6,507	6909
BUCKINGHAM 371	1,929	2.34	77	180	2.45	4,518	5,792	4717
BYBERRY 133	1,625	0.30	119	35	0.00	481	950	0
BYBERRY 162	1,559	2.75	52	142	2.57	4,280	3,697	4010
CALN 000	539	2.21	51	112	0.00	1,191	1,010	0
CASTLE 000	508	2.99	63	188	3.01	1,518	1,588	1529
CHARLTON 000	420	1.19	117	140	3.00	499	977	1261
COCHRANVILLE 341	1,506	3.13	109	342	2.45	4,707	8,590	3692
CONCORD 351	1,977	2.66	62	164	5.24	5,265	5,417	10356
CORNOG 001	479	2.84	116	331	1.09	1,362	2,640	522
CREAMERY 000	616	4.11	71	294	1.99	2,534	3,018	1228
CRESCENTVILLE 135	1,989	2.39	43	103	0.00	4,759	3,403	0
DAVISVILLE 007	666	3.13	101	317	1.00	2,084	3,521	663
DURHAM 002	593	3.08	121	371	0.00	1,824	3,666	0
DUTTON 002	324	2.29	60	137	0.00	742	739	0
EDDINGTON 138	779	3.38	87	293	0.00	2,632	3,808	0
EDDYSTONE 131	388	4.14	46	191	0.00	1,605	1,233	0
EDDYSTONE 132	1,606	1.26	48	60	0.00	2,023	1,603	0
ELKINS PARK 004	534	2.63	121	319	0.00	1,402	2,836	0
FAIRLESS 006	492	5.77	97	560	0.00	2,840	4,589	0
FIN 002	452	3.45	244	842	0.38	1,559	6,344	171
FLINT 144	896	3.97	95	376	2.21	3,560	5,611	1983
FOULK 131	1,701	2.20	72	158	2.40	3,738	4,473	4086
FOX CHASE 133	845	3.97	65	257	0.00	3,356	3,615	0
FURNACE 000	569	2.92	261	765	0.22	1,664	7,251	124
GARRETT 003	756	2.68	59	157	1.00	2,028	1,979	755
GLADWYNE 001	203	4.84	107	519	2.00	983	1,756	405
GLADWYNE 132	537	2.24	113	254	2.29	1,203	2,274	1230
GLADWYNE 133	638	3.08	120	369	2.02	1,963	3,920	1286
GLADWYNE 138	587	3.58	138	493	1.54	2,103	4,825	906
GOLF 002	538	2.16	113	244	1.00	1,161	2,187	537
GROVE 000	640	4.36	89	388	1.00	2,791	4,137	640
HAGYS 004	314	6.47	95	618	0.00	2,033	3,235	0
HARMONY 003	472	2.07	35	72	3.00	977	562	1416
HARMONY 007	1,280	3.07	39	121	2.00	3,930	2,582	2560
HARTMAN_351	3,502	0.24	212	52	0.00	851	3,007	0
HEATON_133	1,878	0.93	105	98	0.33	1,753	3,075	629

CIRCUIT	CUSTOMERS ON CIRCUIT	12 Month Rolling Circuit SAIFI	12 Month Rolling Circuit CAIDI	12 Month Rolling Circuit SAIDI	12 Month Rolling Circuit MAIFI	12 Month Rolling Customers Interrupted	12 Month Rolling Customer Hours	12 Month Rolling Momentary Customers Interrupted
HEATON 147	1,158	1.44	128	185	1.23	1,671	3,563	1428
HOLMESBURG 143	768	3.69	61	227	0.00	2,832	2,899	0
HOWELL 002	391	0.13	441	59	1.00	52	383	390
JARRETT 144	1,156	2.57	82	211	0.44	2,974	4,066	509
JENKINTOWN 137	1,622	2.94	78	229	0.72	4,771	6,183	1172
JENKINTOWN 141	725	3.94	59	233	1.06	2,858	2,821	766
KEMBLE 002	403	5.08	170	863	0.00	2,047	5,796	0
KENNETT SQUAR 005	324	2.95	95	280	1.91	957	1,510	618
LANDENBERG 000	553	5.41	159	859	2.00	2,990	7,913	1106
LANGHORNE 002	642	2.93	75	219	1.00	1,880	2,345	642
LANTERN 000	573	3.33	114	379	0.05	1,907	3,622	30
LINE 104 00BY	6	6.17	229	1412	0.00	37	141	0
LINE 116 00BM	514	2.59	37	96	1.50	1,329	823	773
LINE 119 00UP	43	1.58	52	82	0.49	68	59	21
LINE 2394	1,819	2.59	55	143	0.00	4,717	4,327	0
LINE 2630	5	1.00	96	96	0.00	5	8	0
LINE 2753	78	6.01	77	461	0.00	469	600	0
LINE 3344	622	2.28	44	100	1.00	1,417	1,039	622
LINE 7200WH	218	3.00	126	380	1.14	655	1,380	249
LINTON 341	2,277	3.77	149	563	0.83	8,595	21,364	1894
LINTON 351	2,444	2.33	160	374	4.57	5,693	15,219	11166
LLANERCH 145	827	2.45	89	218	0.00	2,025	3,002	0
LOMBARD 043	329	1.00	104	104	0.17	330	572	55
MACDADE 132	1,632	1.51	80	121	0.00	2,462	3,295	0
MACDADE 135	2,190	0.57	165	94	0.00	1,241	3,414	0
MACDADE 140	1,578	3.10	55	170	0.00	4,893	4,467	0
MALL 037	507	4.03	55	220	0.00	2,043	1,860	0
MODENA 000	216	2.89	179	517	0.00	625	1,861	0
NESHAMINY 164	1,402	0.39	205	80	1.00	544	1,859	1404
NEWLINVILLE 011	536	4.00	77	308	1.00	2,144	2,752	534
NEWLINVILLE 343	2,645	2.49	110	274	0.57	6,596	12,080	1520
NEWLINVILLE 362	2,457	2.14	146	313	1.08	5,265	12,804	2664
NEWTOWN SQUAR 131	1,310	3.64	87	316	1.32	4,771	6,910	1734
NORCO 002	727	1.32	209	276	0.00	959	3,344	0
NORTH PHILADE 132	2,780	2.51	48	121	2.57	6,991	5,619	7158
NORTH WALES 011	696	2.59	128	331	0.00	1,802	3,839	0
NORTH WALES 344	999	1.62	67	109	0.06	1,615	1,810	55
OAKMONT 001	522	3.35	164	551	1.00	1,751	4,795	522
OAKMONT 004	670	3.29	224	736	1.03	2,204	8,220	692
PARRISH 138	1,843	2.98	28	83	0.00	5,490	2,560	0
PARRISH 143	1,101	0.16	200	32	0.00	176	587	0
PENCOYD 133	1,263	2.06	82	168	1.05	2,597	3,543	1323
PENROSE 162	532	4.73	93	441	0.00	2,519	3,914	0
PENTRIDGE 013	1,396	2.51	83	207	0.00	3,501	4,827	0
PERKIOMEN 362	1,540	1.05	67	70	0.99	1,614	1,800	1519
PHOENIXVILLE 008	949	1.03	94	97	0.00	976	1,531	0
PICKERING 001	401	1.05	156	165	1.05	423	1,103	420
PLYMOUTH 181	966	2.47	75	184	0.02	2,386	2,964	18
PULASKI 014	966	2.83	112	318	0.00	2,738	5,123	0
RODGERS 132	145	2.56	87	222	1.01	371	536	147

CIRCUIT	CUSTOMERS ON CIRCUIT	12 Month Rolling Circuit SAIFI	12 Month Rolling Circuit CAIDI	12 Month Rolling Circuit SAIDI	12 Month Rolling Circuit MAIFI	12 Month Rolling Customers Interrupted	12 Month Rolling Customer Hours	12 Month Rolling Momentary Customers Interrupted
SADSBURY 000	627	2.61	109	285	1.00	1,637	2,977	628
SCHWENKSVILLE 001	492	3.61	91	327	2.39	1,775	2,684	1178
SCHWENKSVILLE 002	729	3.19	96	308	2.00	2,328	3,741	1460
SECANE 007	811	2.45	50	121	0.00	1,987	1,639	0
SLATE 000	140	2.67	272	727	0.58	374	1,695	81
SOLEBURY 001	502	2.98	166	496	3.00	1,498	4,150	1506
TREVOSE 138	1,210	2.80	109	305	1.00	3,386	6,150	1209
TUNA 131	1,292	4.06	46	188	0.00	5,240	4,050	0
WALLACE 000	236	2.98	156	465	0.99	704	1,828	234
WARRINGTON 343	2,205	0.26	69	18	0.82	563	647	1804
WAVERLY 134	85	2.62	55	143	0.00	223	203	0
WAYNE 137	1,211	3.15	94	294	1.88	3,809	5,942	2279
WAYNE 143	846	3.48	68	237	1.11	2,941	3,346	937
WEST_BUCK 001	245	3.03	78	236	1.99	742	966	488
WESTTOWN 000	255	2.33	59	137	7.00	593	581	1785
WHITEMARSH 161	1,292	1.27	169	214	0.00	1,637	4,606	1
WILLOWDALE 001	367	4.78	120	572	0.99	1,754	3,501	365

The data supplied is the number of interrupted customers for each interruption event summed for all events, also known as customer interruptions. If a customer is interrupted by three separate trouble cases, they represent three customer interruptions, but only one customer interrupted.

Appendix B

Remedial efforts taken and planned for 5% worst performing circuits as of 03/31/12

ABINGTON_006

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Upgraded fuses

Completed reliability corrective workorders

Installed wildlife protection

Planned:

Remedial efforts completed

AUDOBON_006

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Planned:

Inspected selected areas of circuit for vegetation issues and corrected as needed

Complete regularly scheduled tree trimming

BELLEVUE_133

Bucks County

Completed:

Repaired Station Leg Cable

Completed reliability corrective work orders

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Planned:

Install 3 phase recloser

Completed reliability corrective work orders

BETHAYRES_002

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Complete regularly scheduled tree trimming

Planned:

Install 2 three phase reclosers on supply line

BOOTH_003

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Upgrade secondary wire

Install (2) Three phase reclosers

BRADFORD_343

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Inspect selected areas of circuit for vegetation issues and corrected as needed

Planned:

Install three phase reclosers

Complete regularly scheduled tree trimming

BRYN_MAWR_132

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

Install (2) three phase reclosers

BRYN_MAWR_134

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Upgraded animal protection

Planned:

Upgrade fuses

BRYN_MAWR_143

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Remedial efforts completed

BUCKINGHAM_343

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Upgraded fuses

Installed three phase recloser

Planned:

Complete regularly scheduled tree trimming

BUCKINGHAM_346

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Install (2) three phase reclosers

Complete regularly scheduled tree trimming

BUCKINGHAM_371

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Inspected selected areas of circuit for vegetation issues and corrected as needed

Installed three phase recloser

Planned:

Install three phase reclosers

Complete regularly scheduled tree trimming

BYBERRY_133

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Upgraded lightning protection

Upgraded cable insulation

Complete regularly scheduled tree trimming

Planned:

Complete reliability corrective workorders

BYBERRY_162

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

Complete regularly scheduled tree trimming

CALN_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Complete regularly scheduled tree trimming

CASTLE_000

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Upgraded fuses
Complete regularly scheduled tree trimming

Planned:

Complete reliability corrective workorders

CHARLTON_000

Chester s County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Balanced load on circuit

Planned:

Complete regularly scheduled tree trimming

COCHRANVILLE_341

Chester County

Circuit under analysis

CORNOG-001

Chester County

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Upgraded transformer

Planned

Complete regularly scheduled tree trimming
Complete reliability corrective workorders
Install additional fuses

CREAMERY_000

Montgomery County

Completed:

Circuit under analysis

CRESCENTVILLE_135

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Installed additional fuses
Repaired cable

Planned:

Install three phase recloser
Install additional fuses

DAVISVILLE_007

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Completed reliability corrective workorders
Upgrade transformer and secondary wires

DURHAM_002

Bucks County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

DUTTON_002

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

EDDINGTON_138

Bucks County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Fuse coordination

EDDYSTONE_131

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Install three phase recloser

EDDYSTONE_132

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Installed wildlife protection

Balance phases on circuit

Planned:

Remedial efforts completed

ELKINS_PARK_004

Montgomery County

Completed:

Complete regularly scheduled tree trimming

Planned:

Circuit under analysis

FAIRLESS_006

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Installed additional fuses

Planned:

Upgraded fuses

FIN_002

York County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Upgrade fuses

Complete reliability corrective workorders

Complete regularly scheduled tree trimming

FLINT_144

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Install 3 phase recloser

Complete reliability corrective workorders

Complete regularly scheduled tree trimming

FOULK_131

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Test/Inspect recloser settings

Upgraded lightning protection

Upgraded fuses

Planned:

Remedial efforts completed

FOX_CHASE_133

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Coordinated fuses
Completed regularly scheduled tree trimming

Planned:

Install three phase recloser
Upgrade fuses

FURNACE_000

York County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Upgraded fusing

Planned:

Complete reliability corrective workorders
Complete regularly scheduled tree trimming
Upgrade fusing

GARRETT_003

Delaware County

Completed:

Circuit under analysis

GLADWYNE_001

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Installed additional fuse
Installed Faulted Circuit Indicators

Planned:

Remedial efforts completed

GLADWYNE_132

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

GLADWYNE_133

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Upgrade wildlife protection

Upgrade fuses

Inspect selected areas of circuit for vegetation issues and corrected as needed

GLADWYNE_138

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Installed additional fuses

Planned:

Complete reliability corrective workorders

GOLF_002

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Installed additional fusing

Upgraded fusing

Replaced switch

Planned:

Remedial efforts complete

GROVE_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Installed additional fuses

Planned:

Remedial efforts completed

HAGYS_004

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective work orders

Inspected selected areas of circuit for vegetation issues and corrected as needed

Installed additional fuses

Planned:

Remedial efforts complete

HARMONY_003

Chester County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Coordinated fusing

Planned:

Install recloser on supply circuit

HARMONY_007

Chester County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Remedial efforts completed

HARTMAN_351

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Remedial efforts complete

HEATON_133

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Upgraded fuses
Upgraded wire
Replaced cable
Upgraded transformer

Planned:

Remedial efforts completed

HEATON_147

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Upgraded lightning protection

Planned:

Remedial efforts completed

HOLMESBURG_143

Philadelphia County
Circuit under analysis

HOWELL_002

Chester County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Install additional fuses

Planned:

Install three phase recloser

JARRETT_144

Montgomery County
Circuit under analysis

JENKINTOWN_137

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Coordinated fusing
Upgraded service wires
Completed regularly scheduled tree trimming

Planned:

Complete reliability corrective workorders

JENKINTOWN_141

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Completed regularly scheduled tree trimming
Installed compact single phase recloser

Planned:

Install three phase recloser
Install single phase recloser

KEMBLE_002

Chester County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Installed additional fuses
Installed faulted circuit indicators

Planned:

Complete reliability corrective workorders

KENNETT SQUARE_005

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

LANDENBERG_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Upgraded fuses

Installed additional fuses

Planned:

Remedial efforts complete

LANGHORNE_002

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Remedial efforts complete

LANTERN_000

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Upgraded transformer

Planned:

Remedial efforts complete

LINE_104_00BY

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Completed reliability corrective workorders

Inspected selected areas of circuit for vegetation issues and corrected as needed

Installed additional fuse

Repaired switch

Completed regularly scheduled tree trimming

Planned:

Replace switch

Balance circuit

Complete reliability corrective workorders

LINE_116_00BM

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Installed 3 phase recloser

Planned:

Completed reliability corrective workorders

LINE_119_00UP

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Installed faulted circuit indicators

Planned:

Complete regularly scheduled tree trimming

LINE_2394

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Install additional fuse

Upgraded transformer

Completed regularly scheduled tree trimming

Planned:

Remedial efforts completed

LINE_2630

Delaware County

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Install switch

LINE_2753

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Replace cable section

LINE_3344

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders
Installed switch

Planned:

Remedial efforts completed \

LINE_7200WH

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Complete regularly scheduled tree trimming

LINTON_341

Bucks County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Replace cable
Upgraded secondary mains
Repair cable
Repair switch
Complete reliability corrective work orders
Install (3) three phase reclosers

LINTON_351

Bucks County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Remedial efforts completed

LLANERCH_145

Delaware County

Completed:

Inspected circuit visually and with thermographic camera
Inspected selected areas of circuit for vegetation issues and corrected as needed
Completed reliability corrective workorders

Planned:

Install (2) three phase reclosers

LOMBARD_043

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Repaired switch

Planned:

Replace cable section

MACDADE_132

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Upgraded wildlife protection

Completed reliability corrective work orders

Planned:

Complete reliability corrective work orders

MACDADE_135

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Install trip saver

Completed reliability corrective work orders

Planned:

Remedial efforts completed

MACDADE_140

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Upgraded wildlife protection

Planned:

Remedial efforts completed

MALL_037

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Planned:

Complete reliability corrective work orders

MODENA_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Installed additional fuses

Planned:

Complete regularly scheduled tree trimming

NESHAMINY_164

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Install wildlife protection

Install trip savers

Upgraded transformer

Planned:

Remedial efforts completed

NEWLINVILLE_011

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Installed faulted circuit indicators

Planned:

Complete regularly scheduled tree trimming

NEWLINVILLE_343

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Installed three phase recloser

Upgraded lightning protection

Planned:

Install three phase recloser

Complete regularly scheduled tree trimming

NEWLINVILLE_362

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Upgraded wildlife protection

Upgraded lightning protection

Planned:

Complete regularly scheduled tree trimming

NEWTOWN_SQUARE_131

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Upgraded wildlife protection

Upgraded lightning protection

Installed additional wildlife protection

Replaced single phase recloser

Completed reliability corrective work orders

Installed tree wire

Installed (2) three phase reclosers

Installed additional fuses

Planned:

Remedial efforts completed

NORCO_002

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Upgraded wildlife protection

Planned:

Remedial efforts completed

NORTH_PHILADELPHIA_132

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install three phase recloser

Install additional fuses

Upgrade lightning protection

Complete reliability corrective work orders

NORTH_WALES_011

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install single phase reclosers

Upgrade secondary wires

NORTH_WALES_344

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Installed wildlife protection

Planned:

Remedial efforts completed

OAKMONT_001

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install relay

Install lightning protection

OAKMONT_004

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install switch

PARRISH_138

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Install additional fuses

Upgraded transformer

Planned:

Remedial efforts completed

PARRISH_143

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install additional fuses

Upgrade lightning protection

PENCOYD_133

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Remedial efforts completed

PENROSE_162

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Upgraded lightning protection

Installed additional fuses

Replaced switch

Planned:

Remedial efforts completed

PENTRDIGE_013

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install additional fuses

Upgrade lightning protection

PERKIOMEN_362

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install three phase recloser

PHOENIXVILLE_008

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Remedial efforts completed

PICKERING_001

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Remedial efforts completed

PLYMOUTH_181

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Upgraded transformer

Replaced cable

Planned:

Install additional fuses

Upgrade transformer

PULASKI_014

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Complete reliability corrective work orders

Install additional fuses

RODGERS_132

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Replaced cable section

Planned:

Modify recloser

SADSBURY_000

Chester County

Completed:*Inspected circuit visually and with thermographic camera*

Inspected selected areas of circuit for vegetation issues and corrected as needed

Planned:

Complete reliability corrective work orders

SCHWENKSVILLE_001

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Coordinated fusing

Planned:

Complete reliability corrective work orders

SCHWENKSVILLE_002

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Complete reliability corrective work orders

SECANE_007

Delaware County

Completed:**Completed:**

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Complete reliability corrective work orders

SLATE_000

York County

Circuit under analysis

Complete regularly scheduled tree trimming

SOLEBURY_001

Buck County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Upgrade secondary wires

Complete regularly scheduled tree trimming

TREVOSE_138

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Install (2) three phase reclosers

Install three phase recloser on supply line

Complete reliability corrective work orders

Upgrade secondary wires

Complete regularly scheduled tree trimming

TUNA_131

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Upgrade lightning protection

Install additional fuses

Complete reliability corrective work orders

WALLACE_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Inspect selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Complete regularly scheduled tree trimming

WARRINGTON_343

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Completed reliability corrective work orders

WAVERLY_134

Philadelphia County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Replaced switch

Planned:

Completed reliability corrective work orders

Replace cable section

WAYNE_137

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective work orders

Planned:

Complete regularly scheduled tree trimming

WAYNE_143

Delaware County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Coordinate fusing

Upgrade wildlife protection

Complete regularly scheduled tree trimming

WEST_BUCK_001

Bucks County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Inspect selected areas of circuit for vegetation issues and corrected as needed

Complete regularly scheduled tree trimming

WESTTOWN_000

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Complete reliability corrective workorders

WHITEMARSH_161

Montgomery County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Replaced cable section

Planned:

Remedial efforts completed

WILLOWDALE_001

Chester County

Completed:

Inspected circuit visually and with thermographic camera

Inspected selected areas of circuit for vegetation issues and corrected as needed

Completed reliability corrective workorders

Planned:

Completed reliability corrective workorders

Install additional fuses

Install faulted circuit indicators

Complete regularly scheduled tree trimming

Appendix C

New Business Connections

This work category includes all the facility work required to add a new customer or to increase the load to an existing customer. The facility work will include the facilities required to directly connect the customer to the system and the upgrade/replacement of any existing facility to serve the requested additional load.

Capacity Expansion

This work category includes only capacity work generated by the system design engineer to prevent system failure and to assure the delivery of voltage as specified in the tariff. The addition of new substations and substation enlargements for future load growth will also be included in this project.

System Performance

This work category includes projects designed to upgrade, modify or improve the performance of the distribution system. Also included in this category are indirect costs in support of all categories and one-time accounting adjustment items.

Facility Relocation

This work category includes all requests for relocation of PECO facilities including municipal as well as customer related relocation requests.

Maintenance

This work category includes work performed to repair and restore equipment to its normal state of operation, along with planned preventive maintenance work such as visual and thermographic inspections and tree trimming around transmission and distribution lines.

Storm Funds

Incremental costs (primarily; overtime, contractors, mutual assistance, and meals) incurred while responding to major storms (storms that meet customer outage and duration criteria).

RECEIVED

APR 30 2013

**PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU**

From: (215) 841-5776
Anna Migliaccio
Exelon
2301 Market Street S15-2
Philadelphia, PA 19103

Origin ID: REDA



Ship Date: 30APR13
ActWgt: 1.0 LB
CAD: 9876187/NET3370

RECEIVED

Delivery Address Bar Code



APR 30 2013

SHIP TO: (717) 772-7777

BILL SENDER

Rosemary Chiavetta, Secretary
Pa Public Utility Commission
400 NORTH ST FL 2
COMMONWEALTH KEYSTONE BLDG
HARRISBURG, PA 17120

Ref #
Invoice #
PO #
Dept #

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU



WED - 01 MAY 3:00P
STANDARD OVERNIGHT

TRK# 7996 5275 3435

0201

17120
PA-US
MDT

ZN MDTA



518G1698383AR

After printing this label:

1. Use the "Print" button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g., jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.